

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4	connector and (housing or body) and (RF or (radio adj frequency)) and flange and cavity and (chip adj carrier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 11:13
2	BRS	L2	0	connector and (housing or body) and ( flange with cavity) and ((chip adj carrier) with cavity)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 11:18
3	BRS	L3	6	connector and (housing or body) and ( flange with cavity) and (chip adj carrier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 12:46
4	BRS	L5	5	3 and pins	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 12:58
5	BRS	L7	2	5 and signal and ground	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 12:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	4	5 and signal	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2002/09/06 12:54
7	BRS	L8	2	5 and ground	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2002/09/06 12:57
8	BRS	L9	0	3 and (( "100" or "200" or "300" or "400") adj mils)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2002/09/06 13:00
9	BRS	L10	90	(signal adj path) and (( "100" or "200" or "300" or "400") adj mils)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2002/09/06 13:01
10	BRS	L11	11	10 and (chip adj carrier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2002/09/06 13:02

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L12	11	11 and pin	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 13:02
12	BRS	L13	11	12 and signal	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 13:02
13	BRS	L14	9	13 and ground	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2002/09/06 13:03